

Basic Elements of Programming Languages

Ronghui Gu

Fall 2022

Columbia University

* Course website: <https://verigu.github.io/4115Fall2022/>

** These slides are borrowed from Prof. Edwards.

What is a Programming Language?

A programming language is a notation that a person and a computer can **both understand**.

What is a Programming Language?

A programming language is a notation that a person and a computer can **both understand**.

- It allows you to express what is the **task** to compute

What is a Programming Language?

A programming language is a notation that a person and a computer can **both understand**.

- It allows you to express what is the **task** to compute
- It allows a computer to **execute** the computation task

Language Specifications

How to Define a Language

When designing a language, it's a good idea to start by sketching forms that you want to appear in your language as well as forms you do not want to appear.

How to Define a Language

When designing a language, it's a good idea to start by sketching forms that you want to appear in your language as well as forms you do not want to appear.

```
int avg(int a, int b)
{
    return (a + b) / 2;
}
```

Examples

How to Define a Language

When designing a language, it's a good idea to start by sketching forms that you want to appear in your language as well as forms you do not want to appear.

```
int avg(int a, int b)
{
    return (a + b) / 2;
}
```

Examples

```
a int vg(int a,
{
    return (a; + b)
{ {
```

Non-Examples

How to Define a Language

- An official documents, with **informal** descriptions.
- An official documents, with **formal** descriptions.
- A reference implementation, e.g., a compiler.

Some language definitions are sanctioned by an official standards organization, e.g., C11 (ISO/IEC 9899:2011).

How to Define a Language

- An official documents, with **informal** descriptions.
- An official documents, with **formal** descriptions.
- A reference implementation, e.g., a compiler.

Some language definitions are sanctioned by an official standards organization, e.g., C11 (ISO/IEC 9899:2011).

```
int compare()
{
    int a[10], b[10];
    if (a > b)
        return true;
    return false;
}
```

How to Define a Language

- An official documents, with **informal** descriptions.
- An official documents, with **formal** descriptions.
- A reference implementation, e.g., a compiler.

Some language definitions are sanctioned by an official standards organization, e.g., C11 (ISO/IEC 9899:2011).

```
int compare()
{
    int a[10], b[10];
    if (a > b)
        return true;
    return false;
}
```

undefined behavior, unspecified behavior,
implementation-defined behavior, ...

Aspects of Language Specifications

Syntax

Semantics

Pragmatics

Aspects of Language Specifications

Syntax

Semantics

Pragmatics

- **Syntax:** how characters combine to form a program.

Aspects of Language Specifications

Syntax

Semantics

Pragmatics

- **Syntax:** how characters combine to form a program.
- **Semantics:** what the program *means*.

Aspects of Language Specifications

Syntax

Semantics

Pragmatics

- **Syntax:** how characters combine to form a program.
- **Semantics:** what the program *means*.
- **Pragmatics:** common programming idioms; programming environments; the standard library; ecosystems.

Syntax is divided into:

- **Microsyntax**
- **Abstract syntax**

Syntax is divided into:

- **Microsyntax:** specifies how the characters in the source code stream are grouped into tokens.
- **Abstract syntax**

Syntax is divided into:

- **Microsyntax:** specifies how the characters in the source code stream are grouped into tokens.
- **Abstract syntax:** specifies how the tokens are grouped into phrases, e.g., expressions, statements, etc.

Source program is just a sequence of characters.

```
int avg(int a, int b)
{
    return (a + b) / 2;
}
```

```
i n t SP a v g ( i n t SP a , SP i n t SP b ) NL
{ NL
SP SP r e t u r n SP ( a SP + SP b ) SP / SP 2 ; NL
} NL
```

Microsytax

```
int avg(int a, int b)
{
    return (a + b) / 2;
}
```


$L \cdot (L|D)^*$

Token	Lexemes	Pattern (as regular expressions)
ID	avg, a, b	<u>letter followed by letters or digits</u>
KEYWORD	int, return	letters
NUMBER	2	digits
OPERATOR	+, /	+, /
PUNCTUATION	;, (, {, },	;, (, {, },

int avg (int a , int b) { return (a + b
) / 2 ; }

Lexical Analysis Gives Tokens

```
int avg(int a, int b)
{
    return (a + b) / 2;
}
```



- Throw errors when failing to create tokens: malformed numbers (e.g., 23f465#g) or invalid characters (such as non-ASCII characters in C).


Abstract Syntax

Abstract Syntax can be defined using **Context Free Grammar**.
Nonterminals can always be replaced using the rules,
regardless of their **contexts**.

```
expr :  
    expr OPERATOR expr  
    | ( expr )  
    | NUMBER  
    | ID
```

$e \rightarrow e / e \rightarrow e / 2$
 $\rightarrow (e) / 2 \rightarrow (e + e) / 2$

Expression $(a + b) / 2$ can be parsed into an **AST**:





Abstract Syntax

Abstract Syntax can be defined using **Context Free Grammar**.
Nonterminals can always be replaced using the rules,
regardless of their **contexts**.


expr :
 expr OPERATOR *expr*
 | (*expr*)
 | NUMBER
 | ID

a + 2b

Ambiguous! What about *a + b/2*?



Syntax Analysis Gives an Abstract Syntax Tree



```
int avg(int a, int b)
{
    return (a + b) } / 2;
}
```

- Syntax analysis will throw errors if “}” is missing. Lexical analysis will not.

- **Static Semantics**
- **Dynamic Semantics**

- **Static Semantics:** deals with legality rules—things you can check **before** running the code (compile time), e.g., type, scope, for some languages.
- **Dynamic Semantics**

- **Static Semantics:** deals with legality rules—things you can check **before** running the code (compile time), e.g., type, scope, for some languages.
- **Dynamic Semantics:** deals with the execution behavior; things that can only be known **at** runtime, e.g., value.

Static Semantics

We can use inference rules to define semantics, e.g., type:


NUMBER : **int**

$\frac{\text{expr} : \mathbf{int}}{(\text{expr}) : \mathbf{int}}$

$\frac{\text{expr}_1 : \mathbf{int} \quad \text{expr}_2 : \mathbf{int}}{\text{expr}_1 \text{ OPERATOR } \text{expr}_2 : \mathbf{int}}$



Semantic Analysis: Resolve Symbols; Verify Types



Dynamic Semantics

We can use inference rules to define semantics, e.g., value:

$$\frac{}{\text{eval}(\text{NUMBER}) = \text{NUMBER}}$$

$$\frac{\text{eval}(\text{expr}) = n}{\text{eval}((\text{expr})) = n}$$

$$\frac{\text{eval}(\text{expr}_1) = n_1 \quad \text{eval}(\text{expr}_2) = n_2}{\text{eval}(\text{expr}_1 + \text{expr}_2) = n_1 + n_2}$$

Dynamic Semantics

int a = 16,

2⁴ - 1

Consider the integer range?

$$\frac{}{\text{eval}(\text{NUMBER}) = \text{NUMBER}}$$

"16"

0

$$\frac{\text{eval}(\text{expr}) = n}{\text{eval}((\text{expr})) = n}$$



$$\frac{\text{eval}(\text{expr}_1) = n_1 \quad \text{eval}(\text{expr}_2) = n_2}{\text{eval}(\text{expr}_1 + \text{expr}_2) = n_1 + n_2}$$

Dynamic Semantics

Consider the **integer range**:

$$\frac{\text{wrap}(\text{NUMBER}) = n}{\text{eval}(\text{NUMBER}) = n}$$

Handwritten annotations: "16" above the fraction with an arrow pointing to the numerator, and "16" below the fraction.

$$\frac{\text{eval}(\text{expr}) = n}{\text{eval}((\text{expr})) = n}$$

$$\frac{\text{eval}(\text{expr}_1) = n_1 \quad \text{eval}(\text{expr}_2) = n_2 \quad \text{wrap}(n_1 + n_2) = n}{\text{eval}(\text{expr}_1 + \text{expr}_2) = n}$$

Handwritten annotations: An arrow points down to the expression $n_1 + n_2$ in the numerator, and the expression is underlined.

Programming Paradigms

Programming Paradigms

A programming paradigm is a **style**, or “way,” of programming. Some languages make it easy to write in some paradigms but not others.

Imperative Programming

An imperative program specifies **how** a computation is to be done: a sequence of statements that update state.

```
result = []  
i = 0  
numStu = len(students)  
start:  
    if i >= numStu goto finished  
    name = students[i]  
    nameLength = len(name)  
    if nameLength <= 5 goto nextOne  
    addToList(result, name)  
nextOne:  
    i = i + 1  
    goto start  
finished:  
    return result
```



Structured Programming

A kind of imperative programming with clean, goto-free, nested control structures. Go To Statement Considered Harmful by Dijkstra.

```
result = []  
for i in range(len(students)):  
    name = students[i]  
    if len(name) > 5:  
        addToList(result, name)  
print(result)
```

Structured Programming

cppreference.com:

[Goto statement is] used when it is otherwise impossible to transfer control to the desired location using other statements.

C tutorials:

Use of goto statement is highly discouraged in any programming language because it makes difficult to trace the control flow of a program, making the program hard to understand and hard to modify. Any program that uses a goto can be rewritten to avoid them.

Procedural Programming

Imperative programming with **procedure calls**.

```
def filterList (students):  
    result = []  
    for name in students:  
        if len(name) > 5:  
            addToList(result, name)  
    return result  
  
print(filterList(students))
```

Object-Oriented Programming

An object-oriented program does its computation with interacting **objects**.

```
class Student:
    def __init__(self, name):
        self.name = name
        self.department = "CS"

def filterList (students):
    result = []
    for student in students:
        if student.name.__len__() > 5:
            result.append(student.name)
    return result

print(filterList(students))
```

Declarative Programming

A declarative program specifies **what** computation is to be done. It expresses the logic of a computation without describing its control flow.

```
select name  
from students  
where length(name) > 5
```


Functional Programming

A functional program treats computation as the evaluation of mathematical functions and **avoids** side effects.

```
def isNameLong (name):  
    return len(name) > 5  
  
print(  
    list(  
        filter(isNameLong, students)))
```



Functional Programming

Using lambda calculus:

```
print(  
    list(  
        filter(lambda name: len(name)>5 , students)))
```

Functional Programming

Using function composition:

```
compose(print, list, filter*(lambda name: len(name) > 5))  
      (students)
```

* A variant of the built-in filter.